











NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

Minutes

Invitation to Quote for Lot 1: Pre-bid Meeting on Tuesday 19th November 2019, 02:00pm CSSP Conference Room, Ground Floor SNPF Building, APIA

1. Participants:

There were 4 representatives from the local water tank suppliers who were present at the meeting; Samoa Superior Poly Products (SSPP), Rotomould Samoa Ltd (RSL), and Tank Guy Samoa (TGS). The MOF's procurement specialist also participated to assist the CSSP team in clarifying the ITQ requirements and process. The participants are listed below, and provided in Annex 1 (signed registration list).

Full Name	Organisation	
John Bellinger	Samoa Superior Poly Products	
Fred Yazdani	Rotomould Samoa Ltd	
Auga Farrell Craig	Tank Guy Samoa	
Vera Tonumaipe'a	Tank Guy Samoa	
Christina Tauā (Chairperson &	CSSP (MOF/Purchaser)	
Facilitator)		
David Hill	MOF (Procurement Specialist)	
Helen Lui	CSSP	

2. Open & Welcome

The Chairperson opened the meeting and welcomed all participants. Mr Hill was introduced to participants, and each representative of the local tank suppliers were also introduced for Mr Hill's information.

3. PowerPoint Presentation on the ITQ for Lot 1

The Chairperson facilitated a brief presentation as provided in Annex 2; on the ITQ requirements, the process, and the indicative schedule of the works (as in the ITQ document). During and after the presentation, the participants were provided the opportunity to ask questions for clarification.

4. Questions and Answers

Questions	Answers
Installation requirements for RWH	The Category B requirement includes
tanks concrete bases Category B	"drainage" which means the selected
requiring drainage.	contractor should also install drainage for
How is that going to be implemented as	the concrete basins. The contractor will
drainages would require a small pipe for an	work with the CSSP & Villages in the
outlet (outflow of water), and would	constructing of the concrete bases and





• SSPP representative was concerned

about the 128 cement bags for the 25









Civil Society Support Programme (CSSP) NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

Questions	Answers
become a space for mosquitoes to breed?	basins.
10% Advance Payment & Bank	The CSSP will re-negotiate the increase of
Guarantee Form	the advance payment proportion with the
Is there a possibility of increasing the	Bank and relevant parties given the
advance payment to 20% so that it would	concerns raised by the suppliers. Clause
be worthwhile to acquire a bank guarantee	no.7 of the Terms and Conditions of
with fees and other costs that the	Supply (Annex 1) contains a provision that
contractor would bear for that bank	the supplier may propose a payment plan
guarantee? The ITQ is material-driven, and	that aligns with a determination of their
would require stable financial capability of	ability to supply, deliver and install the
suppliers to meet the deliverables of the	RWH tanks at each designated village.
contract.	Provided that all these works are
	completed before 31 st January 2020.
Validity of Quotation (45 days)	The CSSP will inform bidders if by the end
What would happen if the CSSP cannot	of the 45 days it has not finalised a
complete the evaluation and contracting	decision on the ITQ. The CSSP is also on a
within this timeframe? If the CSSP does	tight schedule as it is required to complete
not reply by the end of the 45 days; can the	this ITQ to meet the World Bank's
suppliers increase their quoted price by a	stringent timeframes; to complete all
cartage percentage?	works by January 2020, and the overall
	village level subprojects by June 2020. The
	indicative schedule provided in the ITQ
	document will have to be achieved.
Itemisation of the Materials &	The CSSP will revise the itemisation;
Description in page 13 of Annex 2	namely to amend size of PVC glues;
• TGS representative asked about the	change from 100ml to 125ml.
inclusion of boxing materials and	
'brackets'. There should be 6 brackets	For the cement bags; suppliers to meet the
per tank.	20MPA strength of the bases' concrete
• TGS representative advised that the	foundation as advised discussed and
PVC glue should be 125ml and 13 of	should be confirmed from MWTI.
these are not sufficient for all the 25	
tanks (item no.9). There should be 1 for	The brackets are intended to be furnished
each tank.	from the 100mm pvc waste pipe provided
• TGS representative asked about the	in the materials and described in the
20mm valve socket (item no.12) that	Technical Specifications. The cut-out piece
may not be required, except for the	of pvc pipe makes a linear opening to
20mm faucet socket/join (item no.11).	insert through the roofing iron to form the
	anttoning nine. This has been the standard

guttering pipe. This has been the standard

practice when installing RWH guttering in













Questions	Answers
tanks as not sufficient given the need to	villages. From CSSP's experience, metal
meet at least 17 to 25 MPA. Other	brackets are not durable and highly prone
participants indicated that the number	to rusting; hence the practice described
of cement bags should be enough as the	here.
majority of tanks are only 2,000ltr in	
size.	The valve socket is the fitting that connects
	the tap to the water tank. The faucet socket
	is used for fitting the tap.
	Boxing materials must be provided as part
	of the Suppliers' or Contractor's
	machinery and equipment to carry out the
	works.

5. Closing

The Chairperson thanked participants and Mr Hill for their attendance, and closed the meeting at 2:45pm.













Annex 1: Participants Registration List



Civil Society Support Programme (CSSP)

REGISTRATION LIST

PARTICIPANTS OF THE PPCR ITQ FOR LOT 1 PRE-BID MEETING, HELD ON 19TH NOVEMBER 2019, 2PM AT THE CSSP CONFERENCE ROOM

FULL NAME	ORGANISATION/COMPANY	CONTACT INFORMATION	SIGNATURE
PAUL HILL	H.O.F.	THE 82182	(A)
JANIT HILL AFARRIOR CRATE	T.G.S	84 27827	Che.
Vera Torumai per	TGS	Ph 27994	Afripa
FRED YAZDAMI	Rotonieuld (Same	23080	Fyzel
John Bell. 159-		791756162	galley
Tohn Bellinger Christines. Taya	USSP	- (Emis.
Helen Fats	CSSP	,	ALEJONER -













Annex 2: PowerPoint Presentation on the ITQ for Lot 1



INVITATION TO QUOTE LOT 1

PILOT PROGRAMME FOR CLIMATE RESILIENCE

PRE-BID MEETING CSSP CONFERENCE ROOM, 19TH NOVEMBER 2019

PURPOSE OF THE MEETING

- To explain the details of the ITQ for Lot 1
- >To clarify any concerns that the prospective bidders may have with the
 - -solicitation documents,
 - -scope of work and
 - -other details of the requirement.













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

INVITATION TO QUOTE

LOT 1

- 25 water tanks
- 3 villages (Alafua, Sinamoga & Moamoa-fou)

Alafua	Sinamoga	Moamoa-fou
4 x 5,000ltr tanks	3 x 10,000ltr tanks	17 x 2,000ltr tanks
	1 x 5,000ltr tanks	

INVITATION TO QUOTE

LOT 1

- Supply & delivery of 3 x 10,000ltr tanks & fittings
- Supply & delivery of 5 x 5,000ltr tanks & fittings
- Supply & delivery of 17 x 2,000ltr tanks & fittings
- Supply and construct 25 concrete bases for the 25 tanks
- Install 25 tanks with fittings & accessories at designated locations in 3 villages













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

QUOTING & SUBMISSION

- Quote for all items under the invitation
- Price quotation using Annexes 1, 3 and 4
- Submission by hand-delivery, post or electronically to the address specified
- Quote must be in ENGLISH (accompanied by relevant documentation for each item quoted)

ANNEX 1: TERMS & CONDITIONS OF SUPPLY (NATIONAL SHOPPING – GOODS)

- Supplier or prospective bidder to complete, sign & submit.
- Prices & schedules for supply (schedule to match the indicative schedule in Annex 2)
- Other details regarding the pricing, delivery, insurance, required records/documentation or works, payment/invoices, warranty, packaging & marking instructions, defects













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

ANNEX 2: TECHNICAL SPECIFICATIONS

- Contains all the details regarding the funding program and the required works
- Performance parameters
 - (supply & construction of bases, supply of tanks & fittings, installation)
 - CSSP collaborate with the contractor (monitoring & meeting deliverables)
- Warranty requirements
 - (12 months after completion of works & verification)
 - Liabilities remain with supplier until after warranty period
 - Remedial works during warranty period
 - 1 plastic welder hot air gun after warranty period

ANNEX 2: TECHNICAL SPECIFICATIONS

- Installation requirements
 - As per image provided with all parts of a fully installed RWH tank/system
- Verified locations provided in each of the villages
 - Category A: concrete base is constructed at least 75cm in height from the ground level
 - Category B: concrete base is constructed at least 30cm in height from the ground level, and a concrete basin is constructed with drainage at an estimated depth of at least 40cm
 - **Categories based on site inspections by the CSSP staff, to confirm roofing structures and locations













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

ANNEX 3: FORM OF QUOTATIONS (NATIONAL SHOPPING-GOODS)

- Template requires the prospective bidder to fill in the blank spaces
 - Name / Number of the contract
 - Price in words & numbers (currency)
 - Period/schedule to complete the works
 - Authorised signatures + Name and details of the supplier

ANNEX 4: STATEMENT OF TECHNICAL COMPLIANCE

- To be completed, signed, and submitted by the Supplier as attachment to the Signed Form of Quotation (Annex 3)
 - Depending on the quotation, supplier to choose & declare either 1 of the 2 options:
 - (i) Confirm supply of goods listed except for deviations (list, if any)
 - (ii) Confirm goods in quotation substantially satisfy the requirements, with technical characteristics of proposed items (list)













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

ANNEX 5: BANK GUARANTEE FOR ADVANCE PAYMENT

- To be completed, signed, and submitted by the Supplier IF it requires advance payment:
 - Considering the capability of local suppliers, and the urgency to complete the required works
 - Advance payment: 10% of the contract price, to be paid within 30days of signing of the contract & upon submission of this bank guarantee for equivalent amount
 - Bank guarantee is valid until the goods are delivered and in the form provided in the tendering documents or another form acceptable to the Purchaser (CSSP/MOF)

QUOTING & SUBMISSION

- PRICES quote in SAMOAN TALA for the total cost at the final destination (Samoa) including TAXES, VAT, Custom duties, transportation, insurance, loading & unloading, plus price of installation in villages.
- <u>DEADLINE FOR SUBMISSION OF</u> QUOTATIONS:

04pm, Friday 29th November 2019













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

EVALUATION OF QUOTATIONS

- Offers/quotations determined to be substantially responsive to the technical specs will be evaluated by comparison of total price at final destination
- Purchaser (CSSP/MOF) will determine for each quotation, the evaluated price by adjusting the price quotation by making corrections for any arithmetical errors

EVALUATION OF QUOTATIONS

- Correction of Arithmetical errors:
 - Where there is a discrepancy between amounts in figures and in words, the <u>amount in words</u> will govern
 - Where there is discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the <u>unit rate as</u> <u>quoted</u> will govern
 - If a supplier refuses to accept the correction, their quotation will be <u>rejected</u>













NPF Ground Floor, Matafele | P. O. Box 2009 | Telephone No: 24617/27278 | E: cssp.office@cssp.gov.ws

AWARD OF CONTRACT

- THE AWARD will be made to the bidder offering the lowest evaluated price and offering goods which are substantially responsive to the technical specs.
- The successful bidder will sign a contract as per the Attachment – FORM OF CONTRACT

VALIDITY OF THE OFFER

 YOUR QUOTATIONS should be valid for a period of 45 days from the deadline of submission (from 29th Nov 2019)













INDICATIVE SCHEDULE OF THE ITQ & ALL WORKS REQUIRED

TARGET	TIMELINE
ITQ/RFQ Approval	11 Nov 2019
Public Advertisement of the ITQ/RFQ	11-29 Nov 2019
Deadline	29 Nov 2019
Evaluation & Selection	02-06 Dec 2019
Tenders Board Approval	12 Dec 2019
Contracting	16 – 20 Dec
Start Implementation	13 Jan 2020
Complete All works	31 Jan 2020

THE END

Questions & Answers